


## PEMKO HIDE SLIDE™

Conceals all sliding hardware




Experience a safer and more open world


Whether your sliding barn door is in an open, closed, or moving position, the Pemko Hide Slide™ completely and effectively conceals the hardware from view. Its minimal design makes your door seemingly float as it glides effortlessly across the door opening.



## INSIDE THE DEVICE







## **SPECIFICATIONS**

- Part Number: HIDESLIDE/48
- Door Thickness: 1-3/4" to 2"
  - For 1-3/8", track goes on the face of the door or max 1/2" deep
- Door Height: Should be a minimum of 3" + Opening Height
- Door Width: 32"-48"
  - For specific door width, refer to the order guide
- Opening Width: 24" 40"
  - For specific opening width, refer to the order guide
- Max Door Weight: 176 lbs.
- Min Door Weight: 100 lbs.
- For side wall-mounted applications only
- For single and biparting doors



FEATURES	BENEFITS
Six-way adjustable top roller enables door to overcome common wall irregularities  - Top roller allows for vertical, horizontal, and tilt adjustment of the door	Designed to overcome common wall irregularities Adjustable without having to drop the door
Compatible with doors 32" - 48" wide	Covers a variety of door widths  Track can be cut in the field for custom door widths
Adjustable top roller with nylon wheels and steel bearings	Guides door smoothly and quietly
Accommodates 1/2", 1" and 1-1/2" clearances between wall and face of the door	Adapts to different types of trim and molding around the door opening
Soft close and open	Door eases into open and closed positions
Three integrated safety features come standard and are hidden from view	Ensures safe operation of door
Four bottom rollers with steel bearings	Non-marring, reduces friction when operating Does not require floor mounted tracks on hard smooth floor
Patent Pending	

## **COMPATIBLE PARTS**

For additional Rockwood pulls, see the catalog or click <u>here</u>.



Rockwood 94BTB Flush Pull Supplied with Hide Slide™ kit



Rockwood RM785 Flush Pull



Rockwood RM790 Flush and Post Mount Pull Combo



Pemko SDL Sliding Door Lock Supplied with Hide Slide™ kit.



Pemko 18/1A Mill

Aluminum Bottom Track 1/8" thick aluminum sheet for use in

carpeted applications



LaFonte 503SF Flush Cup Pull



Hide Slide™ is part of The Good Design Studio, your resource for decorative doors, frames, and hardware from ASSA ABLOY Group brands.

the  $good \ design \ studio$ 

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

PEMIKO ASSA ABLOY

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



Pemko 5535 Distribution Dr. Memphis, TN 38141 www.pemko.com orders.pemko@assaabloy.com Memphis, TN USA P: 800 824 3018 F: 800 243 3656 Ventura, CA USA P: 800 283 9988 F: 800 283 4050 Vaughan, ON CA P: 800 461 3007 F: 800 461 8989