

PEMKO
PLANET AUTOMATIC
DOOR BOTTOMS

### PEMKO

**ASSA ABLOY** 

Experience a safer and more open world

### SHIELDING YOU FROM THE ELEMENTS

Automatic door bottoms offer greater protection against light, airflow, weather, and sound, by utilizing a high-grade, self-extinguishing silicone gasket. With low maintenance requirements, they provide years of sealing power.





Our Planet automatic door bottoms can be used on a variety of door types including wood, glass, and metal, with solutions for both swinging and sliding doors.

With adhesive or mortised mounting options, we've got your door bottom covered.

## NARROW MORTISED PLANET AUTOMATIC DOOR BOTTOMS FOR WOOD DOORS

#### **Features**

- Narrow case 5/16" thick
- For wood doors
- For use with narrow doors
- Ideal for use when edge-mounted flush bolts are installed
- Mortise can be placed anywhere within the doors thickness

- No bottom rail fasteners
- Can use two automatic door bottoms for better sound and energy protection
- · Self-extinguishing silicone gasket
- Seals a maximum gap of 3/4"
- Effective gap coverage is 3/8" to 11/16"

#### **US-FHRD**

Available Finish: A Available Length: 36








Offset Application Example



Application Example



**End Plate Kit Contents:** 



Need more information? Contact ASSA ABLOY's Pemko Products Customer Service Department: 800 824 3018

## ADHESIVE PLANET AUTOMATIC DOOR BOTTOMS FOR GLASS AND WOOD DOORS

#### **Features**

- For use with glass, wood, or steel doors; any thickness
- Installed using adhesive tape
- Architectural, aesthetically-pleasing design
- Metallic tape provided for opposite side of glass panel to cover backside of automatic door bottom

- Self-extinguishing silicone gasket
- Seals a maximum gap 5/8"
- Effective gap coverage is 3/8" to 9/16"

#### KG-SM-SET-NRW

Available Finish: C Available Length: 36






Wood



Application Example



**End Plate Kit Contents:** 



Need more information? Contact ASSA ABLOY's Pemko Products Customer Service Department: 800 824 3018

# PLANET AUTOMATIC DOOR BOTTOMS FOR SLIDING DOORS

#### **Features**

- For use on sliding doors systems: barn door, pocket door, etc.
- Does not require a frame or wall to activate the drop bar mechanism
- · Zero force operation

- Seals between 1/4" and 5/8" bottom gap
- Compensates for inclined floor
- Includes bottom guide to keep door aligned and actuate the drop bar mechanism
- Planet patent US20180320437A1

#### **SN-RD**

Available Finish: A Available Length: 36, 42, 48


Planet SN installed



Planet SN profile



Application Example



Planet SN assembly set



Need more information? Contact ASSA ABLOY's Pemko Products
Customer Service Department: 800.824.3018

### ADDITIONAL SLIDING DOOR ACCESSORIES

# FOR A COMPLETE PRIVACY SOLUTION, ADD A PEMKO SEAL SET AND SLIDING DOOR LOCK

Each of Pemko's five available Seal Sets, including the PEMKOSFSET5 which comes with the Planet SN Automatic Door Bottom, provide additional privacy as well as light and draft control by filling gaps between the door and wall.

The Pemko SDL Privacy Barn Door Lock offers even more peace and solitude with the utilization of its privacy latch.



The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



Pemko 5535 Distribution Dr. Memphis, TN 38141 www.pemko.com orders.pemko@assaabloy.com Memphis, TN USA P: 800 824 3018 F: 800 243 3656 Ventura, CA USA P: 800 283 9988 F: 800 283 4050 Vaughan, ON CA P: 800 461 3007 F: 800 461 8989